





# SURGICAIR<sup>®</sup> FLEX INTEGRATED CEILING SYSTEM


SAMPLE REFLECTED CEILING PLAN – CENTER LIGHT BOOM FACTORY-WELDED FRAMING 1–1/2" TEE















## LOW PROFILE HEPA-VENT

### MODEL: LOW-A (20-40 CFM/FT<sup>2</sup>)




HEPA-FILTERS

## FOR USE WITH HEP-DS-A, HEP-DS-B & LOW-A UNITS

М	ODEL	GEL-L
MODEL		GEL-M
GEL	SEAL	FILTER

### LOW FLOW – 53mm MEDIA MEDIUM FLOW – 70mm MEDIA




1. FILTER MEDIA: UNIFORM NON-SHED MICRO-GLASS

2. SEPARATOR MAT'L: HOT MELT SPACED AT 44mm INTERVALS

NOMINAL	FILTER SIZE	ACTIVE MEDIA AREA W/	ACTIVE MEDIA AREA W/O	
QUANTITY	SIZE	A x B	CENTER BOARD	CENTER BOARD
	1 x 2	7.375 19.500	0.57 ft <sup>2</sup>	0.61 ft <sup>2</sup>
	1 x 3	7.375 31.625	1.00 ft <sup>2</sup>	1.04 ft <sup>2</sup>
	1 x 4	7.375 43.750	1.43 ft 2	**
	1 x 5	7.375 55.875	1.86 ft <sup>2</sup>	**
	1 x 6	7.375 68.000	2.29 ft 2	**
	2 x 2	19.500 19.500	1.91 ft <sup>2</sup>	2.06 ft <sup>2</sup>
	2 x 3	19.500 31.625	3.36 ft <sup>2</sup>	3.51 ft <sup>2</sup>
	2 x 4	19.500 43.750	4.81 ft <sup>2</sup>	**
	2 x 5	19.500 55.875	6.26 ft <sup>2</sup>	**
	2 x 6	19.500 68.000	7.71 ft <sup>2</sup>	**
	3 x 3	31.625 31.625	5.72 ft <sup>2</sup>	**
	3 x 4	31.625 43.750	8.19 ft <sup>2</sup>	**
	3 x 5	31.625 55.875	10.67 ft <sup>2</sup>	**

\* CENTER BOARD REQUIRED ON ALL DIFFUSERS WITH TOP INLETS. DIFFUSERS WITH SIDE OR END INLETS DO NOT REQUIRE CENTER BOARDS EXCEPT FOR SIZES AS NOTED ABOVE.

\*\* NOT AVAILABLE WITHOUT CENTER BOARD.



FILTER SPECIFICATIONS:

EFFICIENCY: 99.99% @ 0.3 MICRON

$\checkmark$	PLEAT DEPTH	RESISTANCE		
	53mm	0.45" w.g. @ 100 FPM		
	70mm	0.34" w.g. @ 100 FPM		

- 3. FRAME MAT'L: 6063-T5 ANODIZED ALUMINUM (CENTER DIVIDER PROVIDED ON SIZES LARGER THAN 4' LONG. OPTIONAL ON LOW-A MODEL OR HEP-DS-A/B w/ SIDE/END INLETS.)
- 4. SEALANT MAT'L: FIRE-RETARDANT SELF-EXTINGUISHING POLYURETHANE, LOW-OUTGASSING
- 5. SEAL: NON-FLOWING URETHANE GEL IN CHANNEL ON DOWNSTREAM SIDE OF FLANGE

#### FORM 4-235 EFF. 10/2018

NOTES:

-		
JOB:	<b>Precision</b> Air	THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE
ENGINEER:		CORPORATION AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED,
ARCHITECT:	The O.R. AirCare Specialists	EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL
CONTRACTOR:	PHONE: 1-800-404-0931 www.precisionairproducts.com	MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.