
SURGICAIR® FLEX INTEGRATED CEILING SYSTEM

SAMPLE REFLECTED CEILING PLAN W/ 2 LIGHT BOOMS, 1-1/2" TEE

FACTORY-WELDED FRAMING





GRID/LAY-IN/RECESSED SIZE LIGHTING FIXTURE, SUPPLIED BY OTHERS.



LAMI-VENT OR HEPA-VENT DIFFUSER. REFER TO DIFFUSER CUT SHEETS FOR DETAILS.



BLANK-OFF/FILL-IN PANEL. ANY CUTS REQUIRED FOR ACCEPTANCE OF BOOM STRUCTURAL TO BE COMPLETED IN FIELD BY INSTALLING CONTRACTOR. REFER TO FILL-IN PANEL CUT SHEETS FOR DETAILS.



REMOVABLE BLANK-OFF/FILL-IN PANEL FOR BOOM ACCESS.

- 16'-2" ·

NUTES:

1. ALL DIMENSIONS TO CENTERLINE OF TEE UNLESS OTHERWISE NOTED.

2. FRAMING TO BE SUPPLIED IN:

2 - 4' x 14' SECTIONS

1 - 8' x 8' SECTIONS

1 - 6' x 8' SECTIONS

3. FINISH: WHITE BAKED ENAMEL

☐ CLEAR ANODIZED ALUMINUM

FORM 5-121, EFF. 10/2018

JOB:_ ENGINEER: ARCHITECT:_ CONTRACTOR:



The O.R. AirCare Specialists


PHONE: 1-800-404-0931 www.precisionairproducts.com

THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED. EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLEPANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

SURGICAIR® FLEX INTEGRATED CEILING SYSTEM

SAMPLE REFLECTED CEILING PLAN - CENTER LIGHT BOOM 1-1/2" TEE

FACTORY-WELDED FRAMING



1 1

GRID/LAY-IN/RECESSED SIZE LIGHTING FIXTURE, SUPPLIED BY OTHERS.



LAMI-VENT OR HEPA-VENT DIFFUSER. REFER TO DIFFUSER CUT SHEETS FOR DETAILS.



BLANK-OFF/FILL-IN PANEL. ANY CUTS REQUIRED FOR ACCEPTANCE OF BOOM STRUCTURAL TO BE COMPLETED IN FIELD BY INSTALLING CONTRACTOR. REFER TO FILL-IN PANEL CUT SHEETS FOR DETAILS.



REMOVABLE BLANK-OFF/FILL-IN PANEL FOR BOOM ACCESS.

- NOTES:
 1. ALL DIMENSIONS TO CENTERLINE OF TEE UNLESS OTHERWISE NOTED.
 2. FRAMING TO BE SUPPLIED IN:
 2 2' x 12' SECTIONS
 2 6' x 10' SECTIONS

- 3. FINISH: ☐ WHITE BAKED ENAMEL ☐ CLEAR ANODIZED ALUMINUM

FORM 5-120, EFF. 10/2018

JOB:_ ENGINEER: _ ARCHITECT: _ CONTRACTOR:




The O.R. AirCare Specialists

www.precisionairproducts.com PHONE: 1-800-404-0931

THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

SURGICAIR® FLEX INTEGRATED CEILING SYSTEM

SECTION THROUGH CEILING (SAMPLE)



FORM 5-122, EFF. 10/2018

JOB:______
ENGINEER:_____
ARCHITECT:_____
CONTRACTOR:_____





The O.R. AirCare Specialists

PHONE: 1-800-404-0931 www.precisionairproducts.com


THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

SURGICAIR® FLEX & SURGICAIR® TRACK INTEGRATED CEILING SYSTEM









WHITE CLOSED-CELL-POLYETHYLENE GASKET TAPE 0.75" WD x 0.031" THK. - FURN BY PAP, APPLIED BY CONTR. SELF-TAPPING #8 x ½" LG. WAFER-HEAD SCREW INSTALLED ON SITE, SPACED APPROX. 12" APART MAX. BY INSTALLING CONTRACTOR 3/4" 1-1/2" -



1/8" x 1/2" CLOSED CELL POLYETHYLENE GASKETING (SUPPLIED BY PAP) TO BE APPLIED TO FRAMING AT JOBSITE BY INSTALLING CONTRACTOR IN ACCORDANCE WITH MFG'S INSTALLATION INSTRUCTIONS

SECTION AT FRAMING PERIMETER

FORM 5-132, EFF. 10/2018

JOB:_ ENGINEER:_ ARCHITECT: CONTRACTOR:




The O.R. AirCare Specialists


PHONE: 1-800-404-0931 www.precisionairproducts.com

THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

SURGICAIR® FLEX

INDIVIDUAL PLASTER FRAME






PLASTE	ER FRAME	DIMENSIO	ONS (in.)		
MODEL	' A'	'B'	,C,	'D'	QNTY.
PLFW-1212	12.125	12.125	12.875	12.875	
PLFW-1224	12.125	24.250	12.875	25.000	
PLFW-1236	12.125	36.375	12.875	37.125	
PLFW-1248	12.125	48.500	12.875	49.250	
PLFW-1260	12.125	60.625	12.875	61.375	
PLFW-1272	12.125	72.750	12.875	73.500	
PLFW-2424	24.250	24.250	25.000	25.000	
PLFW-2436	24.250	36.375	25.000	37.125	
PLFW-2448	24.250	48.500	25.000	49.250	
PLFW-2460	24.250	60.625	25.000	61.375	
PLFW-2472	24.250	72.750	25.000	73.500	
PLFW-3636	36.375	36.375	37.125	37.125	
PLFW-3648	36.375	48.500	37.125	49.250	
PLFW-3660	36.375	60.625	37.125	61.375	



- 1. INDICATE MATERIAL / FINISH:
 - □ 0 = ALUMINUM / WHITE BAKED ENAMEL
 - \Box 1 = ALUMINUM / 204-R1 CLEAR ANODIZED
 - 2 = 16 GA. 304 STAINLESS STEEL / No. 4 POLISH
- 2. ALL DIMENSIONS SHOWN IN INCHES.



FORM 5-134, EFFECTIVE 10/2018


JOB: ______
ENGINEER: _____
ARCHITECT: ____
CONTRACTOR: ____




The O.R. AirCare Specialists


PHONE: 1-800-404-0931 www.precisionairproducts.com


THE ITEM SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.





FRAMED STYLE





WRAP-AROUND STYLE

MODEL	'A'	'B'	QNTY	MODEL	'A'	'B'	QNTY	MODEL	'A'	'B'	QNTY
SFP-1212	11.500	11.500		SFP-2424	23.625	23.625		SFP-3636	35.750	35.750	
SFP-1224	11.500	23.625		SFP-2436	23.625	35.750		SFP-3648	35.750	47.875	
SFP-1236	11.500	35.750		SFP-2448	23.625	47.875		SFP-3660	35.750	60.000	
SFP-1248	11.500	47.875		SFP-2460	23.625	60.000		SFP-3672	35.750	72.125	
SFP-1260	11.500	60.000		SFP-2472	23.625	72.125		SFP-4848	47.875	47.875	
SFP-1272	11.500	72.125									

- 1. INDICATE MATERIAL
 - ☐ ALL ALUM. ☐ ALL 304 S.S.
- 2. INDICATE FINISH TO MATCH DIFFUSERS: ■WHITE BAKED ENAMEL ■ CLEAR ANODIZED ALUM.
- #4 POLISHED S.S.
- 3. INDICATE FACEPLATE STYLE:
 - ☐ FRAMED* ☐ WRAP—AROUND * NOT OFFERED IN STAINLESS STEEL

FORM 5-130, EFF. 10/2018

JOB:_ ENGINEER:_ ARCHITECT:_ CONTRACTOR: _



The O.R. AirCare Specialists


PHONE: 1-800-404-0931 www.precisionairproducts.com


THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

FILL-IN PANELS


WITH PERFORATED FACE


MODEL PFP





FRAMED STYLE, TO MATCH DIFFUSERS WITH FRAMED STYLE FACEPLATE





WRAP-AROUND STYLE, TO MATCH DIFFUSERS WITH WRAP AROUND STYLE FACEPLATE

MODEL	'A'	'B'	QNTY	MODEL	'A'	'B'	QNTY	MODEL	'A'	'B'	QNTY
PFP-1212	11.500	11.500		PFP-2424	23.625	23.625		PFP-3636	35.750	35.750	
PFP-1224	11.500	23.625		PFP-2436	23.625	35.750		PFP-3648	35.750	47.875	
PFP-1236	11.500	35.750		PFP-2448	23.625	47.875		PFP-3660	35.750	60.000	
PFP-1248	11.500	47.875		PFP-2460	23.625	60.000		PFP-3672	35.750	72.125	
PFP-1260	11.500	60.000		PFP-2472	23.625	72.125		PFP-4848	47.875	47.875	
PFP-1272	11.500	72.125									

NOTES:

- 1. INDICATE MATERIAL
 - ☐ ALL ALUM.
 - ☐ ALL 304 S.S.
- 2. INDICATE FINISH TO MATCH DIFFUSERS: ■WHITE BAKED ENAMEL ■ CLEAR ANODIZED
- #4 POLISHED S.S.
- 3. INDICATE FACEPLATE STYLE:
- ☐ FRAMED* ☐ WRAP-AROUND * NOT OFFERED IN STAINLESS STEEL
- 4. INDICATE PERFORATION PATTERN REQUIRED:
- ☐ 16% OPEN TO MATCH A-SERIES DIFFUSERS
- ☐ 23% OPEN TO MATCH B-SERIES DIFFUSERS
- ☐ 33% OPEN TO MATCH C-D-E SERIES DIFFUSERS

FORM 5-131, EFF. 10/2018

JOB:_ ENGINEER:_ ARCHITECT:_ CONTRACTOR: _




The O.R. AirCare Specialists

www.precisionairproducts.com PHONE: 1-800-404-0931

THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBJUILT DILEPASSES ONLY AND SUBJECT TO PROVISION SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

HEPA-VENT DS

MODEL: HEP-DS-A (20-40 CFM/FT²)



HEP-DS-2448-A ø7.75 23.625 43.75 47.875 19.00 43.25 19.50 HEP-DS-2448-A ø9.75 HEP-DS-2460-A 23.625 60.000 19.00 55.38 ø9.75 19.50 55.88 HEP-DS-2472-A 23.625 72.125 19.00 67.50 ø11.75 19.50 68.00 35.750 35.750 31.13 31.13 ø9.75 31.63 31.63 HEP-DS-3636-A HEP-DS-3648-A 35.750 47.875 31.13 43.25 ø11.75 31.63 43.75 HEP-DS-3660-A 35.750 60.000 31.13 55.38 ø11.75 31.63 55.88

** FOR SURFACE MOUNT UNITS. ADD 0.50" TO DIMS "A" & "B".

PACKAGING NOTE: FACEPLATE & INLET COLLAR PROTECTED WITH SELF-ADHESIVE PLASTIC MATERIAL.

- 1. INDICATE FLANGE STYLE:
 - ☐ S = SURFACE-MOUNT \square L = LAY-IN
- 2. INDICATE FACEPLATE STYLE:
 - \Box F = FRAMED * \Box W = WRAP-AROUND * NOT OFFERED IN STAINLESS STEEL
- 3. INDICATE MATERIAL / FINISH:
 - 0 = ALUMINUM / WHITE BAKED ENAMEL

 - 1 = ALUMINUM / CLEAR ANODIZED
 2 = ALUMINUM / CLEAR ANODIZED WITH
 304 SST FACEPLATE / No. 4 POLISH
 3 = 304 STAINLESS STEEL / No. 4 POLISH

 - ON ROOM-SIDE SURFACES (SIMILAR PROFILE)
 - 4 = ALUMINUM DIFFUSER / WHITE BAKED ENAMEL WITH 304 SST FACEPLATE / No. 4 POLISH
- 4. ALL DIMENSIONS SHOWN IN INCHES.

FORM 4-232, EFFECTIVE 10/2018

JOB: _ ENGINEER:_ ARCHITECT: CONTRACTOR:




The O.R. AirCare Specialists

PHONE: 1-800-404-0931 www.precisionairproducts.com


THE ITEM SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO.
THE DESIGN AND DRAWING ARE THE PROPERTY OF THE
CORPORATION AND DUPLICATION IS NOT PERMITTED EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBJECT TO NORMAL MANUFACTURING TOLERANCES THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.

LOW FLOW - 53mm MEDIA MEDIUM FLOW - 70mm MEDIA



	NOMINAL DIFFUSER	FILTER SIZE	ACTIVE MEDIA AREA W/	ACTIVE MEDIA AREA W/O	
QUANTITY	SIZE	A x B	CENTER BOARD	CENTER BOARD	
	1 x 2	7.375 19.500	0.57 ft ²	0.61 ft ²	
	1 x 3	7.375 31.625	1.00 ft ²	1.04 ft ²	
	1 x 4	7.375 43.750	1.43 ft ²	**	
	1 x 5	7.375 55.875	1.86 ft ²	**	
	1 x 6	7.375 68.000	2.29 ft ²	**	
	2 x 2	19.500 19.500	1.91 ft ²	2.06 ft ²	
	2 x 3	19.500 31.625	3.36 ft ²	3.51 ft ²	
	2 x 4	19.500 43.750	4.81 ft ²	**	
	2 x 5	19.500 55.875	6.26 ft ²	**	
	2 x 6	19.500 68.000	7.71 ft ²	**	
	3 x 3	31.625 31.625	5.72 ft ²	**	
	3 x 4	31.625 43.750	8.19 ft ²	**	
	3 x 5	31.625 55.875	10.67 ft ²	**	

- * CENTER BOARD REQUIRED ON ALL DIFFUSERS WITH TOP INLETS. DIFFUSERS WITH SIDE OR END INLETS DO NOT REQUIRE CENTER BOARDS EXCEPT FOR SIZES AS NOTED ABOVE.
- ** NOT AVAILABLE WITHOUT CENTER BOARD.



NOTES:

- 1. FILTER MEDIA: UNIFORM NON-SHED MICRO-GLASS
- 2. SEPARATOR MAT'L: HOT MELT SPACED AT 44mm INTERVALS
- 3. FRAME MAT'L: 6063-T5 ANODIZED ALUMINUM (CENTER DIVIDER PROVIDED ON SIZES LARGER THAN 4' LONG. OPTIONAL ON LOW-A MODEL OR HEP-DS-A/B w/ SIDE/END INLETS.)
- 4. SEALANT MAT'L: FIRE-RETARDANT SELF-EXTINGUISHING POLYURETHANE, LOW-OUTGASSING
- 5. SEAL: NON-FLOWING URETHANE GEL IN CHANNEL ON DOWNSTREAM SIDE OF FLANGE

FORM 4-235 EFF. 10/2018

JOB: ______
ENGINEER: _____
ARCHITECT: _____
CONTRACTOR: ____



The O.R. AirCare Specialists

PHONE: 1-800-404-0931 www.precisionairproducts.com

FILTER SPECIFICATIONS:

EFFICIENCY: 99.99% @ 0.3 MICRON

\checkmark	PLEAT DEPTH	RESISTANCE
	53mm	0.45" w.g. @ 100 FPM
	70mm	0.34" w.g. @ 100 FPM

THE ITEMS SHOWN ON THIS DRAWING MAY BE COVERED BY ONE OR MORE PATENTS OF PRECISION AIR PRODUCTS CO. THE DESIGN AND DRAWING ARE THE PROPERTY OF THE CORPORATION AND DUPLICATION IS NOT PERMITTED, EXCEPT WITH WRITTEN CONSENT FROM THE CORPORATION. DIMENSIONS SHOWN ARE SUBSECT TO NORMAL MANUFACTURING TOLERANCES. THIS DRAWING IS FOR SUBMITTAL PURPOSES ONLY AND SUBJECT TO REVISION.